


**1. Application**

EUROFLEX® S- & C- Block are the new dimension of design-elements. With those elements architects, designer and municipalities have the possibility to create individually sitting and jumping elements. The S- & C-Block are produced eco- friendly and could be recycled to 100%.

**2. Material**

**2.1 Shaped piece completely base on recycled granulate**

Rubber granulate: recycling granulate  
Binder: MDI polyurethane  
Colour: red, grey, grey, black



**2.2. Shaped piece with polystyrene – core and EPDM Topping**

Topping: full colored EPDM rubber granulate  
Binder: MDI polyurethane  
Colour: EPDM colour palette

**EPDM standard colours**

RAL 1014



RAL 1015



RAL 1002



RAL 6021



RAL 3016



RAL 5015



RAL 7038



All information without guarantee, subject to change. The Data Sheet is not subject to any change service. Each current and valid from can be recalled at [www.kraiburg-relastec.com/euroflex](http://www.kraiburg-relastec.com/euroflex)

## EPDM special colours

RAL 7037



RAL 7011




RAL 4005



RAL 5012



RAL 5010



RAL 6017



RAL 6005



RAL 1012



RAL 2008



RAL 3017



RAL 4003



RAL 8024



RAL 8025




All information without guarantee, subject to change. The Data Sheet is not subject to any change service.  
Each current and valid from can be recalled at [www.kraiburg-relastec.com/euroflex](http://www.kraiburg-relastec.com/euroflex)



page 2 of 5

**3. Product Design**

Surface: with open pores  
Design standard:




Design EPDM:



minor colour variations and/or fading possible

All information without guarantee, subject to change. The Data Sheet is not subject to any change service.  
Each current and valid from can be recalled at [www.kraiburg-relastec.com/euroflex](http://www.kraiburg-relastec.com/euroflex)



4. Dimension / Tolerance S – Block



Tolerance:	+/- 0,8%
Weight standard:	approx. 38,5 kg/piece
Weight EPDM covered:	approx. 34,8 kg/piece

All information without guarantee, subject to change. The Data Sheet is not subject to any change service.  
Each current and valid from can be recalled at [www.kraiburg-relastec.com/euroflex](http://www.kraiburg-relastec.com/euroflex)

**5. Dimension / Tolerance C – Block**



Tolerance:	+/- 0,8%
Weight SBR:	approx. 38,5 kg/ piece
Weight EPDM covered:	approx. 36,0 kg/ piece

**6. Test Data**

Production facility inspection

Fire resistance: E (DIN EN 13501-1, 2002)

All information without guarantee, subject to change. The Data Sheet is not subject to any change service.  
Each current and valid from can be recalled at [www.kraiburg-relastec.com/euroflex](http://www.kraiburg-relastec.com/euroflex)